



Bravoled 2x2Ft LED Troffer Fixture, 34Watt 3700lumen 2'x2' 4000K

Specifications

| | |
|---------------------|--|
| Model# | BL-TF-22-34W-840N |
| Description | 2x2Ft LED Troffer Fixture |
| Power | 34W |
| Voltage Input | AC120~277V 50~60HZ |
| Lumen output | 3700lm |
| Color Temperature | 4000K |
| CRI | Ra>80 |
| Housing Finish | steel base with powder coating |
| Application | Indoor Only |
| Lens | White diffuse PC lens |
| Operating Temp. | -20 °C ~ 55 °C |
| IP Rating | IP20 |
| Certificates | ETL/cETL(file# 4007551), DLC |
| warranty | 5 years |
| Life Span | 50,000 hours |
| Dimmable | No |
| Item Weight | 6 Kg |
| Product Dimension | 23.875"L x 23.875"W x 4.75" H (606.43 x 606.43 x 120.65mm) |
| Pack Size | 1pc |
| Packaging Dimension | 24.4"L x 24.4"W x 5.32"H (619.76 x 619.76 x 135.13 mm) |




Order Information

| Item Number | Description | Power | Voltage Input | Dimmable | CCT | Lumen Output | Certificates |
|-------------------|---------------------------|-------|---------------|----------|----------------|--------------|---------------|
| BL-TF-22-34W-8XXZ | 2x2Ft LED Troffer Fixture | 34W | 120~277Vac | Optional | 4000k 5000k | 3700lm | ETL/cETL, DLC |


"XX" - standard for color temperature,40-4000K,50-5000K.
"Z" - can be "D" - dimmable or "N" - non-dimmable

Lux Chart



| Height | Average Lux (lx) | Light range (dia.) |
|--------|------------------|--------------------|
| 1M | 151.8 | 384.2cm |
| 2M | 37.9 | 768.4cm |
| 3M | 16.9 | 1152.6cm |
| 4M | 9.5 | 1536.8cm |
| 5M | 6.1 | 1921.0cm |

Photometrics




LM79
LM80




Bravoled 2x2Ft LED Troffer Fixture, 34Watt 3700lumen 2'x2' 4000K

Dimensions and Pictures



Accessories (optional)



Accessories package List

| Part | Description | Quantity |
|------|----------------|----------|
| 1 | Wire Connector | *1or3 |

Note: 3 wire nuts for dimmable version, 1 wire nut for non-dimmable version.




LM79
LM80




Bravoled 2x2Ft LED Troffer Fixture, 34Watt 3700lumen 2'x2' 4000K

Packaging


1pcs/CTN G.W.:6.5 kg Dimension: 24.4"L x 24.4"W x 5.32"H (619.76x619.76x135.13 mm)




Container Loading QTY



| Size | Corton QTY | Product QTY | Volumn | G.W. |
|-------|------------|-------------|---------------------|----------|
| 40'hq | 1273 ctn | 1273 pcs | 73.26m ³ | 8274.5kg |



| Size | Corton QTY | Product QTY | Volumn | G.W. |
|-------|------------|-------------|----------------------|-----------|
| 40'gp | 1083 ctn | 1083 pcs | 62.33 m ³ | 7039.5 kg |



| Size | Corton QTY | Product QTY | Volumn | G.W. |
|-------|------------|-------------|---------------------|--------|
| 20'gp | 522 ctn | 522 pcs | 30.04m ³ | 3393kg |



LM79
LM80