



Bravoled 2x4Ft LED Troffer Fixture, 34Watt 3700lumen 2'x4' 4000K

Specifications

Model#	BL-TF-24-34W-840N
Description	2x4 Ft LED Troffer Fixture
Power	34W
Voltage Input	AC120~277V 50~60HZ
Lumen output	3700 lm
Color Temperature	4000K
CRI	Ra>80
Housing Finish	Steel base with powder coating
Application	Indoor Only
Lens	White diffuse PC lens
Operating Temp.	-20 C ~ 55 C
IP Rating	IP20
Certificates	ETL/cETL(file# 4007551), DLC
warranty	5 years
Life Span	50,000 hours
Dimmable	No
Item Weight	11 Kg
Product Dimension	47.875"L x 23.875"W x 4.75" H (1216.03 x 606.43 x 120.65mm)
Pack Size	1pc
Packaging Dimension	48.4"L x 24.4"W x 5.32"H (1229.36 x 619.76 x 135.13 mm)




Order Information

Item Number	Description	Power	Voltage Input	Dimmable	CCT	Lumen Output	Certificates
BL-TF-24-34W-8XXZ	2x4 Ft LED Troffer Fixture	34W	120~277Vac	Optional	4000k 5000k	3700lm	ETL/cETL, DLC

"XX" - standard for color temperature,40-4000K,50-5000K.


"Z" - can be "D" - dimmable or "N" - non-dimmable

Lux Chart



Height	Average Lux (lx)	Light range (dia.)
1M	225.7	406.5cm
2M	56.4	812.9cm
3M	23.1	1219.4cm
4M	14.1	1625.8cm
5M	9.0	2032.3cm

Photometrics




LM79
LM80




Bravoled 2x4Ft LED Troffer Fixture, 34Watt 3700lumen 2'x4' 4000K

Dimensions and Pictures



Accessories (optional)



Accessories package List

Part	Description	Quantity
1	Wire Connector	*1or3

Note: 3 wire nuts for dimmable version, 1 wire nut for non-dimmable version.




LM79
LM80




Bravoled 2x4Ft LED Troffer Fixture, 34Watt 3700lumen 2'x4' 4000K

Packaging


1pcs/CTN G.W.:11.5 kg Dimension: 48.4"L x 24.4"W x 5.32"H (1229.36 x 619.76 x 135.13 mm)




Container Loading QTY



Size	Corton QTY	Product QTY	Volumn	G.W.
40'hq	644 ctn	644 pcs	72.95m ³	7406 kg



Size	Corton QTY	Product QTY	Volumn	G.W.
40'gp	542 ctn	542 pcs	61.39 m ³	6233 kg



Size	Corton QTY	Product QTY	Volumn	G.W.
20'gp	258 ctn	258 pcs	29.22m ³	2967 kg



LM79
LM80