

Bravoled 130W LED Wall Pack Light, 130 watt 14300 Lumen, ETL/cETL & DLC

Specifications


Model#	BL-WP03B-130W-277-XX & BL-WP03B-130W-480-HV
Description	130W LED Wall Pack Light
Power	130W
Voltage Input	100-277V ac & 277-480V ac
Lumen output	14300lm
Color Temperature	2700K,4000K,5000K,5700K
CRI	Ra>70
IK Rating	IK07
Power Factor	0.95
Lens	PC
Operating Temp.	-25°C ~ 50°C
IP Rating	IP65
Certificates	ETL/cETL , DLC
Warranty	5 years
L70 life span	>50000Hrs
Housing Material	Die Casting Aluminum
Beam Angle	45 / 100Degree
Dimmable	No
Photocell	Optional
Packaging Dimension	19.3"L x 12.6"W x 11.4"H (490mmx320mmx290mm)



Order Information


Item Number	Description	Power	Voltage Input	Dimmable	CCT	Lumen Output	Certificates
BL-WP03B-130W-277-XX & BL-WP03B-130W-480-HV	130W LED Wall Pack Light	130W	100-277V ac & 277-480V ac	No	2700K,4000K 5000K,5700K	14300lm	ETL/cETL,DLC

Lux Chart



Height	Average Lux (lx)	Light range (dia.)
1M	620.0	344.8cm
2M	230.4	565.6cm
3M	102.4	848.4cm
4M	57.6	1131.1cm
5M	36.9	1413.9cm


Photometrics



LM79
LM80

Bravoled 130W LED Wall Pack Light, 130 watt 14300 Lumen, ETL/cETL & DLC

Product Size (Unit:mm)



Accessories (optional):




Cutoff Shield



Photocell


Packaging

1pcs/CTN G.W.:6.2 kgs Dimension: 19.3"L x 12.6"W x 11.4"H (490mmx320mmx290mm)




Bravoled 130W LED Wall Pack Light, 130 watt 14300 Lumen, ETL/cETL & DLC


Container Loading QTY



Size	Corton QTY	Product QTY	Volumn	G.W.
40'hq	1480ctn	1480 pcs	73.26m ³	9324kgs



Size	Corton QTY	Product QTY	Volumn	G.W.
40'gp	1288 ctn	1288 pcs	63.76 m ³	8114.4kgs



Size	Corton QTY	Product QTY	Volumn	G.W.
20'gp	613 ctn	613 pcs	30.34m ³	3861.9kgs