



Bravoled 48W LED Wall Pack Light, 48 watt 5280 Lumen, ETL/cETL & DLC

## Specifications


Model#	BL-WP03B-48W-277-XX
Description	48W LED Wall Pack Light
Power	48W
Voltage Input	100-277Vac,60HZ
Lumen output	5280lm
Color Temperature	2700K,4000K,5000K,5700K
CRI	Ra>70
IK Rating	IK07
Power Factor	0.95
Lens	PC
Operating Temp.	-25°C ~ 50°C
IP Rating	IP65
Certificates	ETL/cETL , DLC
Warranty	5 years
L70 life span	>50000Hrs
Housing	Die Casting Aluminum
Beam Angle	107 Degree
Dimmable	No
Weight	3 Kg (6.6 pound)
Photocell	Photocell
Packaging Dimension	15.7"L x 13"W x 9.4"H (400mmx330mmx240mm)



## Order Information


Item Number	Description	Power	Voltage Input	Dimmable	CCT	Lumen Output	Certificates
BL-WPB48W	48W LED Wall Pack Light	48W	100-277Vac	No	2700K,4000K 5000K,5700K	5280lm	ETL/cETL,DLC

## Lux Chart



Height	Average Lux (lx)	Light range (dia.)
1M	269.5	282.7cm
2M	100.1	463.7cm
3M	44.5	695.5cm
4M	25.0	927.3cm
5M	16.0	1159.2cm


## Photometrics



**LM79**  
**LM80**

Bravoled 48W LED Wall Pack Light, 48 watt 5280 Lumen, ETL/cETL & DLC

## Product Size (Unit:mm)



## Accessories (optional):




**Cutoff Shield**



**Photocell**


## Packaging

1pcs/CTN G.W.:9.4 kgs Dimension: 15.7"L x 13"W x 9.4"H (400mmx330mmx240mm)




Bravoled 48W LED Wall Pack Light, 48 watt 5280 Lumen, ETL/cETL & DLC


## Container Loading QTY



Size	Corton QTY	Product QTY	Volumn	G.W.
40'hq	1960ctn	1960 pcs	68.31m <sup>3</sup>	7644kgs



Size	Corton QTY	Product QTY	Volumn	G.W.
40'gp	1883 ctn	1883 pcs	65.62 m <sup>3</sup>	7343.7kgs



Size	Corton QTY	Product QTY	Volumn	G.W.
20'gp	903 ctn	903 pcs	31.47m <sup>3</sup>	3521.7kgs