



Bravoled 20W LED Wall Pack Light, 20 watt 2200 Lumen, ETL/cETL & DLC, Full cut off

## Specifications


Model#	BL-WP03D-20W-277-XX
Description	20W LED Wall Pack Light
Power	20W
Voltage Input	100-277Vac,60HZ
Lumen output	2200lm
Color Temperature	2700K,4000K,5000K,5700K
CRI	Ra>70
IK Rating	IK07
Power Factor	0.95
Lens	Temper Glass
Operating Temp.	-25 °C ~ 50 °C
IP Rating	IP65
Certificates	ETL/cETL , DLC
Warranty	5 years
L70 life span	>50000Hrs
Housing Material	Die Casting Aluminum
Beam Angle	99 Degree
Dimmable	No
Photocell	Optional
Packaging Dimension	29.1"L x 16.5"W x 11.8"H (740mmx420mmx300mm)



## Order Information


Item Number	Description	Power	Voltage Input	Dimmable	CCT	Lumen Output	Certificates
BL-WP03D-20W-277-XX	20W LED Wall Pack Light	20W	100-277Vac	No	2700K,4000K 5000K,5700K	2200lm	ETL/cETL,DLC

## Lux Chart



Height	Average Lux (lx)	Light range (dia.)
1M	292.3	239.1cm
2M	108.6	392.3cm
3M	48.28	588.4cm
4M	27.16	784.6cm
5M	17.38	980.7cm

## Photometrics




**LM79**  
**LM80**



Bravoled 20W LED Wall Pack Light, 20 watt 2200 Lumen, ETL/cETL & DLC, Full cut off

## Product Size (Unit:mm)




## Accessories (optional):



Photocell

## Packaging

6pcs/CTN G.W.:12.5 kgs Dimension: 29.1"L x 16.5"W x 11.8"H (740mmx420mmx300mm)




**LM79**  
**LM80**




Bravoled 20W LED Wall Pack Light, 20 watt 2200 Lumen, ETL/cETL & DLC, Full cut off


## Container Loading QTY



Size	Corton QTY	Product QTY	Volumn	G.W.
40'hq	684 ctn	4104 pcs	68.38m <sup>3</sup>	8550kgs



Size	Corton QTY	Product QTY	Volumn	G.W.
40'gp	570 ctn	3420 pcs	56.99 m <sup>3</sup>	7125kgs



Size	Corton QTY	Product QTY	Volumn	G.W.
20'gp	285 ctn	1710 pcs	28.49m <sup>3</sup>	3562.5kgs



**LM79**  
**LM80**